Automatic sliding door system

ASSA ABLOY Entrance Systems

The global leader in door opening solutions



Accessories and Options

Profile type:

- Slim
- Slim Eco

Profile finish:

- anodized aluminium, colour on request
- painted in colour according to RAL card

Glass type:

- 8, 10 or 12 mm laminated
- 8, or 10 mm tempered
- 22 mm insulated (Slim Eco profile only)

Glass finish: clear, green, bronze, opaque

Overlight (beam mounted only)

Side screens

Mechanical lock



The ASSA ABLOY Slim series includes:

- ASSA ABLOY Slim
- ASSA ABLOY Slim Eco
- ASSA ABLOY Slim Telescopic
- ASSA ABLOY Slim Eco Telescopic
- ASSA ABLOY Slim Break-Out
- ASSA ABLOY Slim Reverse Break-Out

ASSA ABLOY Slim & ASSA ABLOY Slim Eco

The system consists of doors with slim line aluminium profiles, operator, safety units and, if required, side screens and overlights. Available for beam- or wall mounting and supplied as bi-parting and single-sliding, all models can be tailored to individual customer requirements, suitable for decorative and functional entrances.

ASSA ABLOY Slim Telescopic & ASSA ABLOY Slim Eco Telescopic

Telescopic maximizes the opening width of narrow passages, providing an impressive solution when space is limited.

ASSA ABLOY Slim Break-Out & ASSA ABLOY Slim Reverse Break-Out

Break-out enables the doors and side screens to swing outward in an emergency, allowing exit through the entire door and side-screen space.


Reverse break-out performs the same way with the doors swinging inward. Especially suitable for indoor applications.


Safety features


An integrated activation and presence detection system enhances safety for users by detecting people or objects in the doorway, preventing the door from closing until it is safe to do so.


Sustainability


ASSA ABLOY's automatic door systems can reduce the amount of energy needed to heat or cool a building, resulting in lower costs and a smaller carbon footprint for customers. The ASSA ABLOY Slim series can be fitted with optional extra tight-fitting brushes and additional sensors for fine-tuning opening and closing times, further enhancing its energy-saving capabilities. Regular maintenance helps insure top performance and extends the life of the equipment, reducing its impact on the environment.


































This equipment should be installed, regularly inspected, maintained and serviced by trained and authorized personnel. Preventive maintenance plans are highly recommended for a proper and safe operation. Talk to your ASSA ABLOY Entrance Systems representative to learn more about our service offering!