ASSA ABLOY SW2001-SA-6X6 NOTE: ASSA ABLOY Entrance Systems SURFACE MOUNT 1900 Airport Road PACKAGE INCLUDES AUTOMATIC OPERATOR, CONTROLLER, SLIDE, PAS, or PUSH ARM **ASSA ABLOY** Monroe, NC 28110 PAIR EGRESS AND SENSOR SYSTEM PER YOUR SELECTION. Phone: 1-866-237-2687 SWING DOOR OPERATORS specdesk.na.entrance@assaabloy.com SEE I-ADAPT DRAWINGS 1010265 AND 1010266 FOR DETAILS ON SENSOR SYSTEM. SW2001 IS DESIGNED FOR HIGH PERFORMANCE, HEAVY USAGE PEDESTRIAN 120 VAC. 60 HZ. 20 A. BY ELEC. CONTR. FOR APPLICATIONS THAT COMPLY WITH ANSI A156.10. THE OPERATOR CAN ALSO BE (2)OPTIONAL PWR./SIGNAL ADJUSTED FOR LOWER MANUAL PUSH FORCES TO COMPLY WITH ANSI 156.19 AND CTRLS. AT MID. POINT ACCESS FOR CTRLS. IS OF HEADER. FIRE DOOR REGULATIONS. AT EACH END. STANDARD FINISH: CLEAR - AA-M12C22A41, CLASS 1, .018 MM DARK BRONZE - AA-M12C22A44, CLASS 1, .018 MM SPECIAL FINISHES ARE AVAILABLE [152.3] 1/2" (12.7) OR 5/8"-(15.9) DRYWALL BY OTHERS WOOD, STEEL, CONCRETE OR SIMILIAR FOR STRUCURAL SUPPORT BY OTHERS [152.3] [76.2] [152.3] HEAD INTERIOR WALL SUPPORT BY OTHERS (1) HEAD [18.8] INTO WD. BLOCKING 6
@ 24" (609.1) CENTERS.
BY INSTALLER. [152.3] [85.4] [76.2] F.H. WD SCREWS HOLLOW METAL OR WOOD 1<mark>1</mark> [28.7] FLUSH SWING DOORS AND FRAME BY OTHERS PULL ARM REVEAL CAPABILITY: DOOR FACE TO HEADER [18.9] MOUNTING SURFACE IS STD. TO 1/2" (12.7) MAX. GUIDE RAILS FOR REVEALS UP TO SEE NOTE: * 2-3/8"(60.3) USE SPACER PUSH ARM REVEAL CAPABILITY:

DOOR FACE TO HEADER
MOUNTING SURFACE IS
STD TO 12' (305)
(LARGER CONSULT FACTORY) MUNTIN [152.3] **OPTIONAL** INTERIOR ELEVATION [152.3] [76.2] HEAD -GUIDE RAILS, WALL OR BARRIER [18.8] [85.4] SEE NOTE: * 11 [28.7] PAS ARM REVEAL CAPABILITY: DOOR FACE TO HEADER MOUNTING SURFACE IS STD. TO 4 1/4" (108) MAX. NOTE: DRAWING IS DIMENSIONED IN BOTH ENGLISH AND METRIC. REF. AS FOLLOWS: 1" (25.4). ALL METRIC SIZES ARE IN MILLIMETERS. PLAN INTERIOR -3/4" (19.0) (19.0) DWG NO. 1009987 **OPERATOR** DATE 12/14/12 CHK BY JAW DATE 12/14/12 REV. 4.0 DATE 1/18/18 SS ABOVE RIVNUTS ARE PROVIDED.

DRILL TWO 11/32" (8.7) DIA.

HOLES AND C'SINK 17/32"
(13.5) DIA. X 90° IN DOOR
FOR RIVNUTS BY INSTALLER. NOTE: * NET CLEAR -NET CLEAR (EGRESS MIN 32" (813)) DOOR OPENING CLEARANCES MAY BE COMPROMISED BY THE ADDITION OF SURFACE MOUNTED HARDWARE (SUCH AS PANICS). * GUIDE RAILS (SHOWN) ARE REQUIRED ON THE SWINGPATH SIDE OF POWER OPERATED PEDESTRIAN **ASSA ABLOY** DOORS (ANSI 156.10) BUT NOT ON LOW ENERGY POWER OPERATED DOORS (ANSI 156.19).