

Sliding Door

ASSA ABLOY SL500 Forced Entry Resistant Slider

ASSA ABLOY
Entrance Systems

Experience a safer
and more open world



Protection and durability
where you need it most

Elevated Threat Protection

The ASSA ABLOY SL500 Forced Entry Resistant automatic sliding door provides an array of features that help secure your place of business against outside forces. Equipped with full impact glass to stay in place along with a Forced Entry Resistance rating of Grade 25 and availability in overall frame widths of up to 16’ for bi-parts, 9’ for single slides and overall frame heights of 104”, the ASSA ABLOY SL500 Forced Entry Resistant sliding door is the perfect choice for locations where a high level of protection and durability is needed.

Features & Options

Grade 25 Forced Entry Rating

With an ASTM F842-17 Grade 25 rating, the SL500 Forced Entry Resitant sliding door provides elevated threat protection and helps to delay the threat of forced entry to protect your establishment.

High Strength Interlocks

High strength steel interlocks that secure the sidelite when doors are locked while maintaining a high-end aesthetic appearance.

Steel Lock Pins

AISI 4130 steel lock pins at the top and bottom of the leading edge of the active leaf panels prevent doors from sliding open or being broken out.

Dual Corner Straps

Dual 1011 GR50 steel corner straps are stronger than welded aluminum corners and help secure the door’s corner joints for additional security and stability.

Service

With 24/7 Service, our certified technicians are ready to help you at a moments notice. We offer breakdown service, planned maintenance as well as board up services for your storefront in the event of the need for further protection.

Dry Glazing Glass

The SL500 Forced Entry Resistant door is designed for use with 9/16” impact resistant glass and features a strong, yet time saving, dry-glazing system that allows glass to be replaced on-site without requiring the multi-week curing time of traditional wet glazing systems.

Modular Design


Allows ease of package refurbishment when near end of life cycle or after a damaging event, potentially reducing the need to replace an entire door package.

Architectural Consultation / Application Advice

ASSA ABLOY Entrance Systems’ team of architectural consultants are ready to help you with the design and planning of your projects from start to finish. Preparing your new project with entrance systems that provide protection and durability without sacrificing clean lines or aesthetics is entirely possible with our SL500 Forced Entry Resistant door. Contact us today to learn more.

ASSA ABLOY SL500 Forced Entry Resistant Features

- Max overall frame width: 16’ bi-part, 9’ single slide
- Max overall frame height: 104”
- Narrow stile design
- Full break out or fixed sidelite configurations
- Full impact dry glazed system
- On-site glass replacement
- ASTM F842-17 Forced Entry Resistance rating of Grade 25
- Standard 1-3/4” muntins, 4” optional
- Replaceable Track
- 9/16” glass



The ASSA ABLOY Group is the global leader in access solutions. Every day, we help billions of people to experience a more open world.

ASSA ABLOY
Entrance Systems

ASSA ABLOY Entrance Systems provides solutions for efficient and safe flow of goods and people. Our offering includes a wide range of automated pedestrian, industrial and residential doors, loading dock equipment and services.

ASSA ABLOY Entrance Systems

Tel: 1-866-237-2687 (US) • 1-888-608-9242 (Canada)
assaabloyentrance.us • assaabloyentrance.ca

Follow us:



Please enter ASSA ABLOY Entrance
in the channel's search field.